



**Dimension - 1½ x 13/32 in.**  
**38 x 10 mm**



13/32" (10 mm)







**Dimension -  $1\frac{1}{2} \times 1\frac{3}{32}$  in.**  
**38 x 10 mm**





$1\frac{3}{32}$ " (10 mm)







Dimensions	Ampere Rating	Overall Length		Diameter		Blade Thick		Blade Width		Blade Length	
		A		B		C		D		E	
		In.	mm	In.	mm	In.	mm	In.	mm	In.	mm
	100 - 800	8 <sup>5</sup> / <sub>8</sub>	219	2 <sup>1</sup> / <sub>2</sub>	63	<sup>3</sup> / <sub>8</sub>	9	2	51	2 <sup>13</sup> / <sub>32</sub>	61
	801 - 1200	10 <sup>3</sup> / <sub>4</sub>	273	2 <sup>1</sup> / <sub>2</sub>	63	<sup>3</sup> / <sub>8</sub>	9	2	51	3 <sup>15</sup> / <sub>32</sub>	88
	1201 - 1600	10 <sup>3</sup> / <sub>4</sub>	273	3	76	<sup>7</sup> / <sub>16</sub>	11	2 <sup>3</sup> / <sub>8</sub>	60	3 <sup>15</sup> / <sub>32</sub>	88
	1601 - 2000	10 <sup>3</sup> / <sub>4</sub>	273	3 <sup>1</sup> / <sub>2</sub>	89	<sup>1</sup> / <sub>2</sub>	12	2 <sup>3</sup> / <sub>4</sub>	70	3 <sup>15</sup> / <sub>32</sub>	88
	2001 - 2500	10 <sup>3</sup> / <sub>4</sub>	273	4 <sup>1</sup> / <sub>2</sub>	114	<sup>3</sup> / <sub>4</sub>	19	3 <sup>1</sup> / <sub>2</sub>	89	3 <sup>15</sup> / <sub>32</sub>	88
	2501 - 3000	10 <sup>3</sup> / <sub>4</sub>	273	5	127	<sup>3</sup> / <sub>4</sub>	19	4	102	3 <sup>15</sup> / <sub>32</sub>	88
	3001 - 4000	10 <sup>3</sup> / <sub>4</sub>	273	5 <sup>3</sup> / <sub>4</sub>	146	<sup>3</sup> / <sub>4</sub>	19	4 <sup>3</sup> / <sub>4</sub>	121	3 <sup>15</sup> / <sub>32</sub>	88
	4001 - 5000	10 <sup>3</sup> / <sub>4</sub>	273	6 <sup>1</sup> / <sub>4</sub>	159	1	25	5 <sup>1</sup> / <sub>4</sub>	133	3 <sup>15</sup> / <sub>32</sub>	88
	5001 - 6000	10 <sup>3</sup> / <sub>4</sub>	273	7 <sup>5</sup> / <sub>8</sub>	181	1	25	5 <sup>3</sup> / <sub>4</sub>	146	3 <sup>15</sup> / <sub>32</sub>	88



Dimensions	Ampere Rating	Overall Length		Dia.		Blade Thick		Blade Width		Blade Length		Bolt to Bolt		Bolt Dia. Len.		Bolt Dia. Width	
		A	B	C	D	E	F	G	H	In.	mm	In.	mm	In.	mm	In.	mm
		In.	mm	In.	mm	In.	mm	In.	mm	In.	mm	In.	mm	In.	mm	In.	mm
	1 - 30	2¼	57	1⅜	21	—	—	—	—	—	—	—	—	—	—	—	—
	31 - 60	2⅝	60	1½	27	—	—	—	—	—	—	—	—	—	—	—	—
	61 - 100	4⅝	117	1⅝	29	⅛	3.2	¾	19	1	25	3⅝	92	⅜	10	9/32	7
	101 - 200	5¾	146	1⅝	41	⅜	4.8	1⅝	29	1⅝	35	4⅝	111	⅜	10	9/32	7
	201 - 400	7⅝	181	2⅝	54	¼	6.3	1⅝	41	1⅝	48	5¼	133	17/32	14	13/32	10
	401 - 600	8	203	2½	64	⅜	9.5	2	51	2⅝	54	6	152	1⅜	18	17/32	13





Mersen Class J Sizes



Dimensions	Overall Length		Diameter		Blade Thick		Blade Width		Blade Length	
	A		B		C		D		E	
	In.	mm	In.	mm	In.	mm	In.	mm	In.	mm
<b>600V-A60</b>										
0 - 30	5	127	13/16	21	—	—	—	—	—	—
31 - 60	5 1/2	139	1 1/16	27	—	—	—	—	—	—
61 - 100	7 3/8	200	1 5/16	34	1/8	3	3/4	19	1	25
101 - 200	9 3/8	244	1 13/16	46	3/16	5	1 1/8	28	1 3/8	35
201 - 400	11 3/8	295	2 13/16	66	1/4	6	1 5/8	41	1 7/8	48
401 - 600	13 3/8	340	3 3/8	80	1/4	6	2	51	2 1/4	57





Dimensions	Overall Length		Diameter		Blade Thick		Blade Width		Blade Length	
	A		B		C		D		E	
	In.	mm	In.	mm	In.	mm	In.	mm	In.	mm
<b>250V-A2D</b>										
0 - 30	2	51	9/16	14	—	—	—	—	—	—
31 - 60	3	76	13/16	21	—	—	—	—	—	—
61 - 100	5 7/8	149	1 1/16	27	1/8	3	3/4	19	1	25
101 - 200	7 7/8	181	1 9/16	40	3/16	5	1 1/8	28	1 3/8	35
201 - 400	8 3/8	219	2 1/16	53	1/4	6	1 5/8	41	1 7/8	48
401 - 600	10 3/8	264	2 5/16	66	1/4	6	2	51	2 1/4	57

